



## Declaration of Conformity

Number 03 NRP 100 18/07/03

Name and address of manufacturer: **Nurmijärven Rakennuspelti Oy**  
**Ilomäentie 43, 05620 Hyvinkää,**  
**Finland**

Manufacturing site: Nurmijärvi, Hallitie 4, 01810 Luhtajoki, Finland

Products: Components of suspended ceilings:  
Bracket component K-02  
Bracket component K-05  
Bracket component TJ-200  
Bracket component SAH-15  
Bracket component L-100  
Bracket component SH-50  
Bracket component M-lanka

Intended use: Suspended ceilings, inside of buildings

Conformity: **Standard SFS EN 13964 :2014**  
**AVPC system 3**

Notified body: VTT Expert Services Oy  
Kemistintie 3, ESPOO, FINLAND  
PL1001 02044 VTT  
Test report VTT-S-04171-13

CE -marking, declared performance: **Reaction to fire: Euroclass A**

**Load bearing capacity:**

Component	Max load (N)
K-02	221
K-05	390
TJ-200	475
SAH-15	442
L-100	472
SH-50	943
M-lanka	390

**Long term durability:** Corrosion protection class A

Place and date of issue: Vantaa 03.07.2018

Signed for and on behalf:

.....  
Timo Heilimo, Managing Director



## Nurmijärven Rakennuspelti Oy

Hallitie 4, 01810 Luhtajoki

18

**SFS EN 13964:2014**

### Alakaton kannatinrakenteen komponentti rakennusten sisätiloihin

Kannatinkomponentti K-02  
Kannatinkomponentti K-05  
Kannatinkomponentti TJ-200  
Kannatinkomponentti SAH-15  
Kannatinkomponentti L-100  
Kannatinkomponentti SH-50  
Kannatinkomponentti M-lanka

Suoritustasoilmoitus Nro 03 NRP 100 18/07/03

**Palokäyttäytyminen**

Euroluokka A

**Kantavuus**

<b>Komponentti</b>	<b>Sallittu kuorma (N)</b>
Kannatinkomponentti K-02	221
Kannatinkomponentti K-05	390
Kannatinkomponentti TJ-200	475
Kannatinkomponentti SAH-15	442
Kannatinkomponentti L-100	472
Kannatinkomponentti SH-50	943
Kannatinkomponentti M-lanka	943

Testaaja

VTT Expert Services Oy  
Testausraportti VTT-S-04171-13

**Pitkäaikaiskestävyys**

Korroosiosuojausluokka A